# REWING CONNECTED





### **G** SERIES

Our most advanced homebrewing systems with connectivity that allows you to control your brew via the Grainfather App. Feeling thirsty?

# EXPERIMENT VITH ME





The Grainfather **G**30 is a multi-award winning, 30L (8 US Gal) brewing system which is designed to make up to 23L (6 US Gal) of beer from one brew. With app integration, innovative features, and an intuitive design, it's perfect for both beginner and experienced homebrewers.

### **FEATURES**

- Sleek 304 grade stainless steel body
- Connect your mobile device to the Bluetooth controller via the Grainfather App and manage your brew remotely
- A robust magnetic drive pump for maximum brewing efficiencies
- An extendable grain basket that is designed to hold different weights of grain

- Efficient and sanitary brew transfer with the counterflow wort chiller
- Clips to easily attach the alembic dome accessory, allowing you to convert your G30 into a microdistillery
- Available in both 220V and 110V in the US
- Backed by a 3-year warranty

WHAT'S INCLUDED

### **SPECIFICATIONS**

SIZE: 733 x 386mm (29 x 15")

WEIGHT: 17kg (37lb)
MAX PREBOIL 30L (8 US Gal)

VOLUME:

BATCH VOLUME: Max: 25L (7 US Gal)

Min: 10L (3 US Gal)\*

GRAIN BILL: Max: 9kg (20lb)

Min: 5kg (11lb)

POWER: NZ, AU, EU, UK, US:

2000W, 230V Also in the US: 1600W, 120V

CONNECTIVITY: Bluetooth control

Grainfather **G**30

Bluetooth controller

Counterflow wort chiller

Grain basket

Overflow pipework

Bottom & top grain plates

Lifting bar Grain stopper Glass lid

Recirculation pipe

Filter

Hose fittings
Built-in pump

\*10L (3 US Gal) batch volumes are only achievable with the micro pipework (sold separately)



### I'M BIGGER & SMARTER





The Grainfather **G**40 brewing system has a bigger capacity and better connectivity. Produce up to 38L (10 US Gal) of beer from one brew and connect your mobile device to the smart controller with built-in wireless control via the Grainfather App, for step-by-step brewing and access to bazillions of recipes.

### **FEATURES**

340) BREWING SYSTEM

- Sleek 304 grade stainless steel body
- · Heats wort evenly with conical shaped surface mounted heating elements
- · Connect your mobile device to the smart wireless controller via the Grainfather App and manage your brew remotely
- · Conical base for maximum wort transfer
- · Efficient and sanitary brew transfer with the counterflow wort chiller
- PID (proportional integral derivative) uses a specially developed algorithm for managing accurate and consistent mash temperatures

- · Quick and easy cleaning with CIP (clean in place) capability
- · Integrated sight glass for easy volume reading
- · Rolled edge grain plate and perforated basket for easy mashing
- Large bottom mounted dual-stage hop filter reduces pump and chiller blockages
- · Compatible with 10 and 15 amp modes (15amp in NZ/AU requires additional power cable)
- Backed by a 3-year warranty

### **SPECIFICATIONS**

SIZE: 725 x 555mm (28 x 22")

29kg (64lb) WEIGHT: MAX PREBOIL 46L (12 US Gal)

VOLUME:

BATCH VOLUME: Max: 40L (11 US Gal)

Min: 10L (3 US Gal)

**GRAIN BILL:** Max: 12kg (26lb)

Min: 3kg (7lb)

POWER: NZ, AU: 2300W (10A) - 3300W

(15A), 230V.

UK: 2900W (13A), 230V

US, EU: 3300W (15A), 230V

CONNECTIVITY: Wi-Fi control

### WHAT'S INCLUDED

Grainfather G40 Wi-Fi controller

Counterflow wort chiller

Glass lid Lifting bar Grain basket

Recirculation hose

Grain plate Hop filter Fittings

Built-in pump





### GO ON, I LOVE A CHALLENGE



The Grainfather **G**70 is the ultimate 70L brewing system, allowing you to create 58L (15 US Gal) batches of beer at a time. The perfect match for experienced brewers, with built-in wireless connectivity, so you can connect to the Grainfather App for guided brewing and access to brewing tools, recipes and calculators.

### **FEATURES**

**REWING SYSTEM** 

- · Sleek 304 grade stainless steel body
- Connect your mobile device to the smart wireless controller via the Grainfather App and manage your brew remotely
- · Conical base for maximum wort transfer
- An extendable grain basket that is designed to hold different weights of grain
- Efficient and sanitary brew transfer with the counterflow wort chiller

- Quick and easy cleaning with CIP (clean in place) capability
- PID (proportional integral derivative) heating control for accurate temperature management during mashing
- Integrated sight glass for easy volume reading
- Rolled edge grain plates and large bottom mounted dual-stage hop filter
- · Backed by a 3-year warranty

### **SPECIFICATIONS**

SIZE: 830 x 530mm (33 x 21")

WEIGHT: 37kg (81lb)
MAX PREBOIL 70L (18 US Gal)

VOLUME:

POWER:

BATCH VOLUME: Max: 60L (16 US Gal)

Min: 30L (8 US Gal)\*

GRAIN BILL: Max: 17kg (37lb)

Min: 8kg (18lb) NZ, AU, EU, US:

3300W, 230V UK: 2900W, 230V

CONNECTIVITY: Wi-Fi control

WHAT'S INCLUDED

Grainfather **G**70 Wi-Fi controller

Counterflow wort chiller

Hop filter

Grain basket

Bottom & top grain plates

Overflow pipework

Grain stopper

Glass lid

Lifting bar

Recirculation hose
Built-in pump

\*30L (8 US Gal) batch volumes are only achievable with the micro pipework (sold separately)

### CONTROL ME FROM ANYWHERE



# **SONICAL FERMENTER**

The Grainfather **G**F30 conical fermenter is designed to hold up to 28L (7 US Gal) of wort. With a digital temperature controller that has built-in wireless control, you can connect to the Grainfather App via your mobile device. Add fermentation tracking devices and manage your fermentation from anywhere.

### **FEATURES**

- Sleek 304 grade stainless steel body
- Connect your mobile device to the built-in, wireless controller via the Grainfather App and manage your fermentation from anywhere
- Double-walled glycol jacket for constant and stable temperature control
- Golden angle (60°) conical avoids yeast and sediment getting stuck to the sides of the fermenter

- Dual valve tap allows you to easily dump yeast, transfer your brew and take samples
- Integrated 30W heating element and cooling sleeve both sit within the cavity of the fermenter to control and maintain the temperature evenly

NOTE: Cooling functionality only available when connected to the **G**C4 or the cooling pump kit (each sold separately)

Backed by a 3-year warranty

### **SPECIFICATIONS**

SIZE: 910 x 360mm (36 x 14")

 WEIGHT:
 10kg (22lb)

 CAPACITY:
 30L (8 US Gal)

 MAX FERMENTATION
 28L (7 US Gal)

VOLUME:

POWER: 12V, 30W

CONNECTIVITY: Wi-Fi control

CONE ANGLE: 60°

WHAT'S INCLUDED

Grainfather GF30

Built-in Wi-Fi controller

Silicone bung & airlock

Dual valve tap

Power cables

Silicone transfer hose

WORKS WITH Grainfather GC4



### CONSISTENCY IS MY MIDDLE NAME

0000

GRAINFATHER

GC4 GLYCOL CHILLER

The Grainfather **G**C4 glycol chiller allows you to take your fermentation to another level. Power and control the temperature of up to four **G**F30s, each with different temperatures and their own fermenting schedules. By accurately controlling the temperature of your fermentation, you can produce consistent beers, every time.

### **FEATURES**

- Sleek and compact design with LED control display
- Control and power up to four Grainfather GF30s at different temperatures and fermenting schedules
- Cold crash 23L (6 US Gal) of wort to temperatures as low as 4 - 6°C (39 - 43°F)
- Compatible with the Grainfather App when connected to a GF30 or GCA, for managing your fermentation from anywhere
- Use with the GCA to connect a variety of different fermenters
- Backed by a 3-year warranty

### **SPECIFICATIONS**

SIZE: 656 x 390mm (26 x 15")

WEIGHT: 28kg (62lb)

CAPACITY: 6L (2 US Gal) glycol tank

POWER: NZ, AU, EU, UK:

300W, 230V

US: 300W, 120V

CONNECTIVITY: None (Wi-Fi control

available when used with

the GF30 or GCA)

### WHAT'S INCLUDED

Grainfather GC4

3L (1 US Gal) propylene glycol

2 x cooling connection couplers

2 x 2m (6.5ft) insulated hoses

Glycol funnel

Silicone tube for priming pump





WORKS WITH Grainfather GF30, SF70 & GCA

# I'M THE FERMIENTATION OF MIDDLEMAN

# RANATIRE BANATIRE

CA) GLYCOL CHILLER ADAPT

The Grainfather **G**CA makes accurate temperature control more accessible for brewers. Whether you have a plastic or stainless steel fermenter, bucket or barrel, or even a conical, the **G**CA has everything that you need to connect your fermenter to the **G**C4. Take control of your fermentation and create even better beers.

### **FEATURES**

- Compact design with colour display screen
- Use the GCA to connect a variety of different fermenters to the GC4 for accurate temperature control during fermentation
- Wireless capabilities, making it compatible with the Grainfather App so you can control your fermentation from anywhere
- Backed by a 3-year warranty

### **SPECIFICATIONS**

SIZE: **G**CA:

101 x 63mm (4 x 2") Heating pad:

80 x 220mm (3 x 9")

Cooling coil:

520 x 119mm (20 x 5")

CABLE LENGTH:

**G**CA: 2m (6.5ft)

Heating pad: 2m (6.5ft)

Temperature probe:

2m (6.5ft)

POWER: **G**CA:

12V

Heating pad:

30W

CONNECTIVITY: Wi-Fi control

#### WHAT'S INCLUDED

Grainfather GCA

Heating pad

Cooling coil
Rubber bung

Temperature probe

2 x 2m (6.5ft) insulated hoses

2 x hose clamps

4 x rubber bung stoppers

NOTE: GC4 and fermenter

are not included



## I'M THE (;)) ULTIMATE G30 **UPGRADE**



# **BLUETOOTH WI-FI BRIDG**

Upgrade the connection on your **G**30 to Wi-Fi by connecting the GCAST to your G30 controller and never go out of range via Bluetooth again. Plus, view live Tilt data from anywhere and log it to your brew session with no additional hardware.

### **FEATURES**

- Connect your G30 to a Wi-Fi connection and manage your brew remotely through the Grainfather App
- · Avoid losing connection during remote control with better signal strength
- View live Tilt data from anywhere and log it to your brew session with no additional hardware required
- · Sleek, multi textured design, that can be attached to any magnetic surface
- · Easy to set up and use through the **Grainfather App**
- Backed by a 3-year warranty

### **SPECIFICATIONS**

SIZE:

45 x 45mm (1.8 x 1.8")

WEIGHT:

30g (1.1oz)

POWER:

Input voltage: 5V

Current: 0.8A

MAGNETIC: WATERPROOF: Yes No

CONNECTIVITY: Wi-Fi control

**G**CAST

1m Micro USB cable (wall charger not included)

WHAT'S INCLUDED

WORKS WITH Grainfather G30 **COMPATIBLE WITH** Tilt Hydrometers



## SAY HELLO TO THE



If you're serious about brewing, always searching for better and never settle for anything other than perfect, then our G SERIES range of equipment will help fuel your passion.



Within the G SERIES range of equipment lies our most advanced homebrewing systems.



With skilful engineering and design, our systems are intuitive and allow you to create consistent brews at home.



Every innovative piece of equipment gives you the ability to control your brew from the Grainfather App.

DOWNLOAD THE **FREE GRAINFATHER APP NOW** 











## SAY HELLO TO THE

**SERIES** 

If you're a craft beer enthusiast, you'll know all about great tasting beer. But, there's another level of beer-sipping satisfaction to experience. Discover how good making your own beer can taste with our **S** SERIES products and find your new obsession.



The **S** SERIES range of equipment includes sleek, stainless steel systems that are packed full of features.



Each reliable piece of equipment is easy-to-use, allowing you to create delicious, consistent brews.



Our **S** SERIES range gives you the confidence to brew great beer at home.









# TRUST ME. I KNOW WHAT 'S I'M DOING



CONICAL FERMENTER

The Grainfather **S**F70 conical fermenter has been built to hold big batches of wort with a 70L capacity (18 US Gal). It's sleek, stainless steel finish makes cleaning simple and with an intuitive design, you can easily adjust the height, take samples, and dump yeast to avoid the build-up of yeast and sediment.

#### **FEATURES**

- · Sleek 304 grade stainless steel body
- 113° angle conical avoids yeast and sediment getting stuck to the sides of the cone
- Adjustable leg height and castor wheels for easy manoeuvrability
- Insert temperature probes into the built-in thermowell for accurate temperature readings

- · Easily dump yeast with a separate valve
- Transfer and take samples above the yeast and trub line with an accessible valve on the side of the unit
- Compatible with the GCA for accurate temperature control
- Backed by a 2-year warranty

WHAT'S INCLUDED

### **SPECIFICATIONS**

SIZE: 1300 x 410mm (51 x 16")

 WEIGHT:
 13kg (29lb)

 CAPACITY:
 70L (18 US Gal)

 MAX FERMENTATION
 65L (17 US Gal)

VOLUME:

POWER: None
CONNECTIVITY: None
CONE ANGLE: 113°

Grainfather SF70

----

Rubber bung & airlock

Thermowell (use with the **G**CA temperature probe or the Grainfather Thermometer)

Sample valve

Dump valve

Adjustable and removable legs

with castor wheels

WORKS WITH Grainfather GC4 & GCA

### I'M YOUR NEW OBSESSION



BREWING SYSTEM

The Grainfather **\$**40 brewing system allows you to create 38L (10 US Gal) of beer every time that you brew. Packed full of features and made of high quality stainless steel, the **\$**40 is an easy-to-use system for any level of homebrewer.

### **FEATURES**

- · Sleek 304 grade stainless steel body
- Easily manage heating using the digital controller with backlit display
- Built-in pump and recirculation arm maximises mash efficiency through a recirculating infusion mash system (RIMS)
- Easily cool wort with the stainless steel immersion chiller
- · Backed by a 2-year warranty

### **SPECIFICATIONS**

SIZE: 680 x 480mm (27 x 19")

WEIGHT: 18kg (40lb)
MAX PREBOIL 46L (12 US Gal)

VOLUME:

BATCH VOLUME: Max: 40L (11 US Gal)

Min: 10L (3 US Gal)

GRAIN BILL: Max: 10kg (22lb)

Min: 5kg (11lb)

POWER: 2300W, 230V

CONNECTIVITY: None

### WHAT'S INCLUDED

Grainfather **\$**40 Grain basket

Lid

Immersion chiller, hoses & connection fittings

Recirculation arm & wort sprayer

Built-in pump



# REWING **IO-NONSENSE**





### **S** SERIES

Homebrewing systems that are easy-to-use and packed full of features, making it simple to create a smooth, consistent brew. Feeling thirsty?